

BL PRO

Controlled Air Design
Raleigh, NC
(800) 635-0298
sales@controlledairdesign.com



Depureco Industrial Vacuums USA


19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com


1.5 HP
POWER

930 in²
FILTER

11 gal
CAPACITY



HIGHLY TRANSPORTABLE




Weight: 83 lbs

COMPLIANT TO



SPEC SHEET

	Units	BL PRO
Suction type		Brushless motor
Power	HP	2 1 ~
Voltage Frequency	V Hz	120 50
Maximum vacuum	inH2O	92
Maximum air flow	CFM	129
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Bin capacity	gal	11
Dimensions	in	20.32 X 21.46
Height	in	41.33
Weight	lb	83.78
Primary filter		
Type		Star filter
Surface area	in² in	930 - 14.56
(Class EN 60335-2-69)		M Class
Media		Antistatic polyester
Primary filter - Optional		
(Class - EN 1822)		H 14
Media		Fiberglass
In suction		Opt H14
In suction		E 10
Engine air inlet cooling		E 10
Outgoing engine air cooling		E 10

NORMATIVE REFERENCES

COMPLIANT TO

- NFPA 660
- NFPA 79
- UL 2011
- UL 508A
- CSA C22.2


ACCESSORIES



ANTISTATIC STARTER KIT Ø 1.75 in



ANTISTATIC KIT PRO Ø 1.75 in



DISPOSABLE ANTISTATIC FILTER BAG



FILTER CARTRIDGE HEPA H14

PRE-SEPARATOR



CYCLONIC PRE-SEPARATOR