

MOST FREQUENT USE

CLEANING CONTRACTORS

EDUCATION

HOSPITALITY



CONTROL PANEL



LARGE CAPACITY



BATTERY BOX

SWEEPERS - RIDER

1050

The 1050 Sweeper is the perfect step up to higher productivity from walk behind units. It is small enough to go through a 32" opening but is large enough to clean a 42" path with ease.

MAX PRODUCTIVITY

BATTERY RUN TIME

KEY SPECS

 $55,000 \text{ ft}^2/\text{h}$ 3.0-4.8 h 42'' cleaning path 19 gal capacity




INNOVATIONS





SLS ™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.





Other Features

- Maximum protection against impact
- Large sweeping path
- SLS (Self-Leveling System) automatic main brush pressure control
- Dust micro filtration
- Dust flap for large debris collection
- Pre-programmed working settings
- Adjustable side brush rpm
- Heavy duty chassis in fully coated steel

- Easy to use control panel
- Great working visibility
- Automatic stop (by pedal release) in working mode
- Manual low dump discharge system
- Main brush replacement without tools
- Dust filter replacement without tools
- Self cleaning filter system
- Automatic main brush lift in reverse

1050

1050

Max working width	in/ mm	42"/ 1050 mm
Main brush width	in/ mm	26"/ 650 mm
Highest productivity	ft^2/h - m^2/h	55,333 ft²/ 5,140 m²
Dirt container volume	gal	19 gal/ 70 l
Weight	lbs/ kg	679 lbs/ 308 kg
Dimensions	inches	56 x 33 x 45
Power supply	V	24 v
Filter surface	ft^2/m^2	44 ft²/ 4 m²
Electric filter shaker		Automatic
Noise level	dB	63 dB

AVAILABLE ACCESSORIES

12V 210 AH BATTERY 12V 230 AH BATTERY 6V 225 AGM BATTERY 12V210

12V100-AGM

12V140-AGM

CHARGER WET/ GEL BACA00136

BATTERY WATERING SYSTEM CR-BWS-L-4











GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft ² / h	Maximum Theoretical ft ² /charge	Ft ² charge efficiency (70%)
1050	210 ah Battery	4.0	55,333	221,331	154,932
1050	225ah AGM Battery	3.0	55,333	165,998	116,119
1050	230ah AGM Battery	4.8	55,333	265,597	185,918

