

LITTER & DEBRIS VACS

POWER-VAC

FIRST GENERTION



GASOLINE

LITHIUM ION

PROPANE

ELECTRIC



4 FUEL SOURCES

**THE ONLY LITTER & DEBRIS VAC OFFERED IN 4
POWER SOURCES TO MEET EVERY APPLICATION
LITHIUM ION GASOLINE PROPANE ELECTRIC**

SUPER POWERFUL

**POWER-VACS PICKUP MORE THAN THE
COMPEITION WITH UP TO 28% MORE AIRFLOW**



HEAVY DUTY DESIGN

**ROBUST 14GA STEEL BODY, DIRECT DRIVE
IMPELLOR, SOLID RUBBER TREADS,
& STAMPED STEEL WHEELS**

EASY TO HANDLE

**POWER-VACS' SMOOTH BALANCED
MANUEVERABLE SWIVEL DESIGN ALLOWS
EFFORTLESS ONE HANDED ZERO TURN CONTROL**





PLANET FRIENDLY

POWER-VAC IS AVAILABLE IN RECHARGEABLE LITHIUM-ION AND PLUG-IN ELECTRIC TO REDUCE CARBON FOOTPRINT AND PROVIDE A CLEANER, SAFER WORKING ENVIRONMENT

MASSIVE CAPACITY

POWER-VAC'S 11 CUBIC FOOT BAG OFFERS UP TO 73% MORE LITTER & DEBRIS CAPACITY THAN COMPETITION. AND ITS BAG DOLLY SUPPORTS OVER 100LBS



WELDED STEEL IMPELLOR

INDESTRUCTIBLE WELDED 1/4" STEEL IMPELLOR EASILY PULVERIZES LARGE DEBRIS. INTEGRATED IMPELLOR SHAFT GUARD ELIMINATES JAMBS



EXTREME HOSE SUCTION

OPTIONAL AUTO-BAFFLE INCREASES ACCESSORY HOSE SUCTION UP TO 44%



SPECIFICATIONS & CAPACITIES:

	S22-LI				S24-LI				S32-LI				S34-LI				E22-E				E24-E				E32-E				E34-E				E42-E				E44-E				G32-G				G34-G				G42-G				G44-G				P32-LP				P34-LP				P42-LP				P44-LP			
	LITHIUM ION								ELECTRIC								GASOLINE								PROPANE																																															
SWEPPER WIDTH (IN)	23	23	30	30	23	23	30	30	40	40	30	30	40	40	30	30	40	40	30	30	40	40	30	30	40	40	30	30	40	40																																										
POWERHEAD	GREENWORKS 2903964								BALDOR 35FE24-199G1								BRIGGS & STRATTON 123P020007F1								BRIGGS & STRATTON 123P020007F1																																															
POWER (HP)	1	1	1	1	1.5	1.5	1.5	1.5	1.5	1.5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6																																										
DISPLACEMENT (CC)																	190CC								190CC																																															
TORQUE (FT-LB)	1.7	1.7	1.7	1.7	2.4	2.4	2.4	2.4	2.4	2.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5																																										
FUEL CAPACITY																	34OZ/1L								20LB (4.6GAL)																																															
OIL CAPACITY (L)																	20OZ/0.6L								20OZ/0.6L																																															
RPM (MAX)	3200	3200	3200	3200	3450	3450	3450	3450	3450	3450	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600	3600																																										
VARIABLE SPEED	A	A	A	A							M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M																																										
VOLTAGE	82	82	82	82	110/220	110/220	110/220	110/220	110/220	110/220																																																														
BATTERY (Ah)	5	5	5	5																																																																				
BATTERY (QTY)	1	1	2	2																																																																				
NOISE LEVEL (dB)	82	82	82	82	89	89	89	89	89	89	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92																																										
MAIN AIRFLOW (CFM)	1265	1265	1265	1265	1575	1575	1575	1575	1575	1575	2190	2190	2190	2190	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825	1825																																										
HOSE AIRFLOW (CFM)		355		355		400		400		400		508		508		527		527		527		527		527		527		527		527																																										
AUTOBAFFLE AIRFLOW (CFM)						573		573		573		733		733		694		694		694		694		694		694		694		694																																										
AUTOBAFFLE						0		0		0		0		0		0		0		0		0		0		0		0		0																																										
HOSE		✓		✓		✓		✓		✓		✓		✓		✓		✓		✓		✓		✓		✓		✓		✓																																										
IMPELLOR (BLADES)	2	2	2	2	2	2	2	2	2	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4																																										
STANDARD BAG	TB-03-23				TB-03				TB-03-23				TB-03				TB-03				TB-03				TB-03																																															
BAG VOLUME (FT³)	8.5	8.5	11	11	8.5	8.5	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11																																										
LENGTH (IN)	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58																																										
WIDTH (IN)	23	23	30	30	23	23	30	30	40	40	30	30	40	40	30	30	40	40	30	30	40	40	30	30	40	40	30	30	40	40																																										
HEIGHT (IN)	39	43	39	43	40	44	40	44	40	44	40	44	40	44	40	44	40	44	40	44	40	44	40	44	40	44	40	44	40	44																																										
DRY WEIGHT (LB)	115 ¹	129 ¹	122 ¹	136 ¹	131	145	138	152	141	155	127	141	130	144	177 ²	191 ²	180 ²	194 ²	177 ²	191 ²	180 ²	194 ²	177 ²	191 ²	180 ²	194 ²	177 ²	191 ²	180 ²	194 ²																																										
SHIP WEIGHT (LB)	220	220	220	220	220	220	220	220	220	220	235	235	235	235	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²	265 ²																																											
A-AUTOMATIC M-MANUAL O-OPTIONAL																	¹ INCLUDES (1X) BATTERY ² INCLUDES EMPTY TANK																																																							

RETURN POLICY & WARRANTY:

Return Policy
Elgee Vacs, Inc offers a 30 day return policy. If your Elgee product does not meet your expectations, please contact Elgee within 30 days from date of original purchase to receive a Return Merchandise Authorization (RMA) number. Customer is responsible to package item and prepare for shipping within 10 days of receiving RMA. Failure to notify Elgee Vacs, Inc of intent to return within 30 days or failure to package for shipment within 10 days of receipt of RMA voids return eligibility.

Your item must be clean and in the same condition that you received it. Bags, batteries, cables, and parts must be boxed and have sufficient packaging materials to protect. Machines must be packed on a standard shipping pallet (48"x40") with handles, dolly platform, hose, etc disassembled, wrapped to prevent damaged, and sufficiently strapped to pallet. Refund will be processed upon Elgee's receipt of product, undamaged and inclusive of all components. Refund will be issued for invoiced price minus shipping and 20% restocking fee. Refund cannot be issued for excessive wear, damage, or missing parts.

Exchange Policy
Exchanges are not guaranteed. Exchanges will be evaluated on a case by case basis with all shipping and 20% restocking fee paid by customer.

Elgee Limited Warranty
Elgee Vacs, Inc offers a limited three (3) year warranty on all new, full priced machines, sold after April 15, 2024, unless otherwise noted. This warranty covers manufacturing defects in workmanship and materials, excluding damage or misuse by customer, unauthorized repairs or modifications, and/or normal wear and tear. Elgee does not warranty motors, engines, batteries, chargers, bags, and cords.* See below for additional manufacturers' warranty info.

***Private Label Warranties**
Baldor branded components carry the manufacturer's factory one (1) year warranty. As an authorized distributor, Elgee Vacs, Inc will facilitate communication between customer and Baldor (ABB) but does not warranty these components directly. For warranty claims, please contact Elgee Vacs, Inc for instructions.
Briggs & Stratton branded components carry the manufacturer's factory one (1) year warranty. As an authorized distributor, Elgee Vacs, Inc will facilitate communication between customer and Briggs & Stratton but does not warranty these components directly. For warranty claims, please contact Elgee Vacs, Inc for instructions.
Honda branded components carry the manufacturer's factory one (2) year warranty. As an authorized distributor, Elgee Vacs, Inc will facilitate communication between customer and Honda but does not warranty these components directly. For warranty claims, please contact Elgee Vacs, Inc for instructions.
Greenworks branded components carry the manufacturer's factory one (1) year warranty. As an authorized distributor, Elgee Vacs, Inc will facilitate communication between customer and Greenworks but does not warranty these components directly. For warranty claims, please contact Elgee Vacs, Inc for instructions.



PROUDLY MADE IN USA