Table of Contents

Floor Tools–1½"

ABS Plastic

Carpet Tools 2
Floor Brushes 3
Squeegee Tools 4
Specialty Tools 5

Metal

Carpet Tools 6
Floor Brushes 7
Squeegee Tools 8
Specialty Tools 9

Wands–1½"

One Piece Wands 10-11
Two Piece Wands 12-14

Friction Fit Tools–32mm (1¼") & 38mm (1½")

Carpet Tools 15
Floor Brushes 17
Squeegee Tools 18
Specialty Tools 19
Wands 20

Overhead Tools & Extensions

Tools

Pipe Cleaners & Wall Brushes 21

Extensions

Overhead Extensions 22-24

2"–2¼" Floor Tools & Accessories

2" Floor Tools, Wands, Extensions & Accessories. 25-27
2 ¼" Tools & Accessories 28

Compatibility Key 27

Hoses

All-Plastic Crushproof Hose Application Chart 44
Helix Supported & Wire Supported Hose Applications Chart 53

All-Plastic Crushproof Hose

B Series 29
E Series 30-31
F Series 32-35
R Series 36-38
TC Series 39
TH Series 40-42
TV Series 43-45

Hoses (cont.)

Plastic Helix Supported Hose

GT Series 46
M Series 47

Plastic Helix Supported Hose with Static Wire

MSW Series 48

Wire Supported Hose

D Series 49
N Series 50-53
S Series 54
TPE Series 55
U Series 56

Static Conductive Hose

BSC Series, FSC Series 57
ESC Series 58
RSC Series 59

Neoprene

Neoprene Hose 60

Hose Cuffs, Adapters & Connectors

Cuffs for All-Plastic Crushproof Hose 61-62
Cuffs for Wire Supported Hose 63
Adapters 64
Connectors 65
Vacuum Inlet Adapters & Wall Inlet Valves 66

Hose Attachments

Crevice Tools 67
Dusting Brushes 68-69
Upholstery & Utility Tools 70-71

Convenience Kits

Commercial & Industrial Wet/Dry Kits 72
Garage, Restaurant, & Turbo Brush Kits 73

Motors

Single and Two Stage Thru-Flow 74
Single Stage By-Pass–Peripheral Discharge 74
Single Stage By-Pass–Tangential Discharge 74
Two Stage By-Pass–Peripheral Discharge 75
Two Stage By-Pass–Tangential Discharge 75
Three Stage By-Pass–Peripheral Discharge 76
Three Stage By-Pass–Tangential Discharge 76

Note: Every photograph and illustration in this catalog has been carefully selected to represent the appropriate part as accurately as possible. Not all photographs are to scale when compared to each other, or when two views (front & bottom) of the same part are shown together.

1½″ Carpet Tools — ABS Plastic

For wet/dry pick-up on low pile carpet

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
521	Smooth Face Carpet Tool	Grey	14″	1
5215				2
5217				3

For dry pick-up on all carpet types
Gives that just-cleaned carpet look

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
546	Scallop Face Carpet Tool	Grey	14″	1
5465				2
5467				3

For dry pick-up on all carpet types
Gives that just-cleaned carpet look

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
548	Paddle Tool	Grey	14″ Length	1
5485				2



For dry pick-up on low pile carpet

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
549	Rug Rake Carpet Tool	Grey	15″	1
5495				2
5497				3

For dry pick-up on all carpet types

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
60543	E-Z Glide Carpet Tool	Grey	14″	1
605435				2

Connection Type

*TYPE 1 — 1 9/16″

*TYPE 2 — 1½″

*TYPE 3 — Pull Pin

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
522B	Bumper	521, 5215, 5217, 546, 5465, 5467
546AB	Brush, Nylon	60543, 605435
546AD	Rug Shoe	
60543RE	Repair Kit—Brush Strip, Shoes (2), Screws (2)	

Notes

ABS Plastic — 1½" Floor Brushes

Wheeled Floor Brush–For dry pick-up on all bare surfaces

Tampico–For dry pick-up on all bare surfaces

Horsehair–For dry pick-up on all bare surfaces (Slotted front bristles for improved airflow)

Nylon–For dry pick-up on all bare surfaces (Covers wider area)

Horsehair–Narrow width for tight spaces

PART NUMBER	BRISTLE MATERIAL	COLOR	WIDTH	TYPE*
40935	Poly (Medium Stiff)	Black	14"	1
409355				2
535	Nylon (Medium)	Grey	14"	1
5355				2
5357				3
535H	Horsehair (Soft)	Grey	14"	1
5355H				2
5357H				3
536	Tampico (Stiff)	Grey	14"	1
5365				2
5367				3
535SL	Slotted Nylon (Medium)	Grey	14"	1
5355SL				2
535HSL	Slotted Horsehair(Soft)	Grey	14"	1
5355HSL				2
60835	Notched Nylon (Medium)	Grey	20"	1
608355				2
608357				3
902GPR	Horsehair (Soft)	Grey	10"	1
902GMR				2
902BLKPR	Horsehair (Soft)	Black	10"	1
902BLKMR				2

Connection Type

*TYPE 1 — 1 9/16"

*TYPE 2 — 1½"

*TYPE 3 — Pull Pin

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
409355BWS	Repair Kit–Brush Strips (2), Screws (2), Wheels and Wheel Holders (2)	40935, 409355
416PK	Wheels and Wheel Holders (10)	40935, 409355
418BRPK	Brush Set (2), Horsehair	40935, 409355
535B	Brush, Nylon	535, 5355, 5357
535BH	Brush, Horsehair	535H, 5355H, 5357H
535BHSL	Slotted Brush, Horsehair	535HSL, 5355HSL
535BSL	Slotted Brush, Nylon	535SL, 5355SL
535CS	Clip & Screw	535, 5355, 5357, 535H, 5355H, 5357H, 535HSL, 5355HSL, 535SL, 5355SL, 536, 5365, 5367
536B	Brush, Tampico	536, 5365, 5367
60835BPK	Brush Set (2), Nylon	60835, 608355, 608357
902B	Brush, Horsehair	902BLKPR, 902BLKMR, 902GMR, 902GPR

1½″ Squeegee Tools — ABS Plastic



Wheeled Squeegee–For use on most bare surfaces

Rubber/Fabric–For wet pick-up on rough surfaces



Buna-N–Excellent resistance to oils and greases

Thermoplastic Elastomer–Good chemical resistance

Neoprene–For use on most bare surfaces

PART NUMBER	DESC	SQUEEGEE MATERIAL	COLOR	WIDTH	TYPE*
40947		Neoprene	Black	14″	1
409475					2
533		Rubber/Fabric	Grey	14″	1
5335					2
5337					3
534		Fiber	Grey	14″	1
5345					2
5347					3
545		Neoprene	Grey	14″	1
5455					2
5457					3
545BN		Buna–N (White)	Grey	14″	1
5455BN					2
545NR		Natural Rubber (Beige)	Grey	14″	1
5455NR					2
5457NR					3
547		Thermoplastic Elastomer (TPE)	Grey	14″	1
5475					2
5477					3
60845		Neoprene	Grey	20″	1
608455					2
608457					3

Connection Type

*TYPE 1 — 1 9/16″

*TYPE 2 — 1½″

*TYPE 3 — Pull Pin

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
409475SWS	Repair Kit–Squeegee Blades (2), Screws (2), Wheels and Wheel Holders (2)	40947, 409475
415SBPK	Blades, Neoprene (2)	
416PK	Wheels and Wheel Holders (10)	
533FPK	Blades, Rubber/Fabric (2)	533, 5335, 5337
534S1PK	Screws (10)	534, 5345, 5347
534FPK	Blades, Fiber (2)	534, 5345, 5347
534SPK	Screws (10)	533, 5335, 5337, 545BN, 5455BN, 545NR, 5455NR, 5457NR
545A	Aluminum Strip	533, 5335, 5337, 545, 5455, 5457, 545BN, 5455BN, 545NR, 5455NR, 5457NR
545BNSBPK	Blades, Buna-N (2 Narrow, 2 Wide)	545BN, 5455BN
545NRSBPK	Blades, Natural Rubber (2 Narrow, 2 Wide)	545NR, 5455NR, 5457NR
545SPK	Screws (10)	545, 5455, 5457
545SBPK	Blades, Neoprene (2 Narrow, 2 Wide)	
547A	Aluminum Strip	547, 5475, 5477
547SBPK	Blades, TPE (2 Serrated, 2 Flat)	
547SPK	Screws (12)	
60845SBPK	Blades, Neoprene (2)	60845,608455, 608457

ABS Plastic — 1½″ Specialty Tools

For wet/dry pick-up on low pile carpet

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
521	Smooth Face Carpet Tool	Grey	14″	1
5215				2
5217				3

Felt Blade/Scalloped–for dry pick-up on hardwood, marble, and polished floors

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
532	Felt Blade Floor Tool	Grey	14″	1
5325				2
5327				3
532SCA	Scalloped Felt Blade Floor Tool	Grey	14″	1
5325SCA				2
5327SCA				3

For dry pick-up on all carpet types

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
548	Paddle Tool	Grey	14″ Length	1
5485				2



599–Covers a larger area, with adjustable brush

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
598	Bare Floor and Rug Tool	Grey	11″	1
5985				2
5987				3
599	Bare Floor and Rug Tool	Grey	16″	1
5995				2
5997				3

Connection Type

*TYPE 1 — 1 9/16″

*TYPE 2 — 1½″

*TYPE 3 — Pull Pin

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
522B	Bumper	521, 5215, 5217
532FPK	Blades, Felt (2)	532, 5325, 5327
532FSCPK	Blades, Scalloped Felt (2)	532SCA, 5325SCA, 5327SCA
534SPK	Screws (10)	532, 5325, 5327, 532SCA 5325SCA, 5327SCA
545A	Aluminum Strip	
598B	Brush, Nylon	598, 5985, 5987
598G	Adjustment Lever	
598SPK	Repair Kit–Brush Strip, Springs (2), Screws (2)	
599B	Brush, Nylon	599, 5995, 5997
599G	Adjustment Lever	
599H	Support Sleeve	598, 5985, 5987, 599, 5995, 5997
599N	Adjustment Knob	
599SPK	Repair Kit–Brush Strip, Springs (2), Screws (2)	599, 5995, 5997

Notes

1½" Carpet Tools — Metal

646—For dry pick-up on all carpet types



649—For dry pick-up on all carpet types with a brush for grooming

PART NUMBER	DESCRIPTION	BODY MATERIAL	WIDTH	TYPE*
50646	Smooth Face Carpet Tool	Aluminum	14"	5
646				1
6465				2
6467				3
50649	Carpet Tool with Floating Brush	Aluminum	14"	5
649				1
6495				2
6497				3

Connection Type

*TYPE 1 — 1 9/16"	*TYPE 2 — 1½"	*TYPE 3 — Pull Pin	*TYPE 5 — Threaded Metal

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
646BU	Bumper	50646, 50649, 646, 6465, 6467, 649, 6495, 6497
649BN	Brush, Nylon	50649, 649, 6495, 6497

Notes



Heavy duty cast aluminum body means durability. For use in commercial and industrial applications.

Rubber bumper reduces nicks and scratches on all surfaces.



Base plate is serrated for improved airflow, which means more efficient cleaning.

646 Smooth Face Carpet Tool—For dry pick-up on all carpet types

Metal — 1½" Floor Brushes

Horsehair–For dry pick-up on all bare surfaces

Tampico–For dry pick-up on all bare surfaces

PART NUMBER	BRISTLE MATERIAL	BODY MATERIAL	WIDTH	TYPE*
50635	Nylon (Medium)	Aluminum	14"	5
635				1
6355				2
6357				3
635H	Horsehair (Soft)	Aluminum	14"	1
6355H				2
6357H				3
635P	Poly (Medium Stiff)	Aluminum	14"	1
6355P				2
6357P				3
636	Tampico (Stiff)	Aluminum	14"	1
6365				2

Connection Type

*TYPE 1 — 1 9/16"	*TYPE 2 — 1½"	*TYPE 3 — Pull Pin	*TYPE 5 — Threaded Metal

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
3004B	Brush, Polypropylene	635P, 6355P, 6357P
535B	Brush, Nylon	50635, 635, 6355, 6357
536B	Brush, Tampico	636, 6365
535BH	Brush, Horsehair	635H, 6355H, 6357H
635CS	Clips & Screws	50635, 635, 6355, 6357, 635H, 6355H, 6357H, 635P, 6355P, 6357P, 636, 6365
646BU	Bumper	

Notes





635H Soft Horsehair—For dry pick-up on all bare surfaces

1½" Squeegee Tools — Metal

Rubber/Fabric–For wet pick-up on rough surfaces

Buna-N– Excellent resistance to oils and greases

Natural rubber–For use on most bare surfaces

PART NUMBER	SQUEEGEE MATERIAL	BODY MATERIAL	WIDTH	TYPE*
633	Rubber/Fabric	Aluminum	14"	1
6335				2
6337				3
50634	Fiber	Aluminum	14"	5
634				1
6345				2
6347				3
50645	Neoprene	Aluminum	14"	5
645				1
6455				2
6457				3
645BN	Buna-N	Aluminum	14"	1
6455BN				2
50647	Thermoplastic Elastomer (TPE)	Aluminum	14"	5
647				1
6475				2
6477				3
74520	Natural Rubber	Aluminum	20"	1
745205				2
745207				3

Connection Type

*TYPE 1 — 1 9/16"	*TYPE 2 — 1½"	*TYPE 3 — Pull Pin	*TYPE 5 — Threaded Metal

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
633BPK	Blades, Rubber/Fabric (2)	633, 6335, 6337
634BPK	Blades, Fiber (2)	50634, 634, 6345, 6347
634CS	Clips & Screws	
645A	Aluminum Strip	633, 6335, 6337, 50634, 634, 6345 6347, 50645, 645, 6455, 6457, 645BN, 6455BN, 50647, 647, 6475, 6477
645BNSBPK	Blades, Buna-N (4)	645BN, 6455BN
645CS	Clips & Screws	633, 6335, 6337, 50645, 645, 6455, 6457
645SBPK	Blades, Neoprene (4)	50645, 645, 6455, 6457, 647, 6475, 6477
646BU	Bumper	633, 6335, 6337, 50634, 634, 6345 6347, 50645, 645, 6455, 6457, 645BN, 6455BN, 50647, 647, 6475, 6477
647SBPK	Blades, TPE (4)	647, 6475, 6477
745SBPK	Blades, Natural Rubber (4)	74520, 745205, 745207
74520BU	Bumper	

Notes

Metal — 1½″ Specialty Tools

Master Nozzle–For wet/dry pick-up on most surfaces

PART NUMBER	DESCRIPTION	BODY MATERIAL	WIDTH	TYPE*
300	Master Nozzle	Aluminum	14″	1
3005				2

Gulper Tool–For wet/dry pick-up on most surfaces

PART NUMBER	DESCRIPTION	BODY MATERIAL	WIDTH	TYPE*
304	Gulper Tool	Aluminum	12″	1
3045				2
3047				3
50304				5
318	Gulper Tool	Aluminum	18″	1
3185				2
3187				3
50318				5

Felt–Scalloped front blade, straight cut back blade

PART NUMBER	DESCRIPTION	BODY MATERIAL	WIDTH	TYPE*
50632	Felt Blade Floor Tool	Aluminum	14″	5
632				1
6325				2
6327				3
50632SCA	Scalloped Felt Blade Floor Tool	Aluminum	14″	5
632SCA				1
6325SCA				2
6327SCA				3

Adjustable wheels, shown with brushes

PART NUMBER	DESCRIPTION	BODY MATERIAL	WIDTH	TYPE*
50650	Squeegee Tool and Floor Brush Combination	Aluminum	18″	5
650				1
6505				2
6507				3

Connection Type

*TYPE 1 — 1 9/16″

*TYPE 2 — 1½″

*TYPE 3 — Pull Pin

*TYPE 5 — Threaded Metal

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
632FPK	Blades–Felt, Scalloped (1), Straight (1)	50632, 632, 6325, 6327
632FSCAPK	Blades, Scalloped Felt (2)	50632SCA, 632SCA, 6325SCA, 6327SCA
645A	Aluminum Strip	50632, 632, 6325, 6327, 50632SCA, 632SCA, 6325SCA, 6327SCA
645CS	Clip & Screws	
646BU	Bumper	
650BRPK	Brushes, Nylon (2)	50650, 650, 6505, 6507
650SBPK	Blades, Neoprene (2)	
6515	Height Adjustment Knob	
6516PK	Wheels, Black (2)	
6516MPK	Wheels, Brass (2)	

Notes

1½" One-Piece Wands

21A

H21A5

21AP

21AP556

21C

21P

PART NUMBER	BENDS	BODY MATERIAL	COUPLING	LENGTH	TYPE*
21A	2	Aluminum	Metal	54"	1
21A5					2
21AA	2	Aluminum	Metal	54"	6
21AB					7
21AC	2	Aluminum	Metal	54"	3
21AH					4
21AN	2	Aluminum	Metal	54"	5
H21A5**					2

**This wand has an expanded end to fit the HO15T

21AP	2	Aluminum	ABS	54"	1
21AP5					2
21AP56	2	Aluminum	ABS	56"	1
21AP556					2

21C	2	Chrome Steel	Metal	54"	1
21C5					2
21CA					6
21CB	2	Chrome Steel	Metal	54"	7
21CC					3
21CH					4
21CP					1
21P	2	ABS	ABS	54"	1
21P5					2
21CP5		Chrome Steel			
321AC	2	Aluminum	ABS	54"	3
321CC		Chrome Steel			

Connection Type

*TYPE 1 — 1 9/16"



*TYPE 2 — 1½"

*TYPE 3 — Pull Pin

*TYPE 4 — Threaded Nylon

*TYPE 5 — Threaded Metal



*TYPE 6 — Grooved Steel

*TYPE 7 — Grooved Steel



Replacement Parts (See page 14)

1½" One-Piece Wands

49A

49AH

PART NUMBER	BENDS	BODY MATERIAL	COUPLING	LENGTH	TYPE*
49A	2	Aluminum	Metal	49"	1
49A5					2
49AA					6
49AB					7
49AH	2	Aluminum	Threaded Nylon	49"	4
49AP			ABS		1
49AP5					2



28A

28A	2	Aluminum Telescopic	Metal	42"–59"	1
28A5					2
28AP	2	Aluminum Telescopic	ABS	42"–59"	1
28AP5					2

Connection Type

***TYPE 1 — 1 9/16"**



***TYPE 2 — 1½"**



***TYPE 3 — Pull Pin**

***TYPE 4 — Threaded Nylon**

***TYPE 6 — Grooved Steel**

***TYPE 7 — Grooved Steel**



Replacement Parts (See page 14)

Notes

1½" Two-Piece Wands

22A

22AP

PART NUMBER	BENDS	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	TYPE*
22A	2	Aluminum	Friction Fit	Metal	54"	1
22A5						2
22AB	2	Aluminum	Friction Fit	Metal	54"	7
22AC						3
22AH						4
22AP	2	Aluminum	Friction Fit	ABS	54"	1
22AP5						2

22C

22CP

22C	2	Chrome Steel	Button Lock	Metal	54"	1
22C5						2
22CA	2	Chrome Steel	Button Lock	Metal	54"	6
22CB						7
22CH						4
22CP	2	Chrome Steel	Button Lock	ABS	54"	1
22CP5						2

Connection Type

***TYPE 1 — 1 9/16"**

***TYPE 2 — 1½"**

***TYPE 3 — Pull Pin**

***TYPE 4 — Threaded Nylon**

***TYPE 6 — Grooved Steel**

***TYPE 7 — Grooved Steel**

Replacement Parts (See page 14)

Notes

1½" Two-Piece Wands

27C

27CP

PART NUMBER	BENDS	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	TYPE*
27C	2	Chrome Steel	Fiction Fit	Metal	54"	1
27C5						2
27CA						6
27CB	2	Chrome Steel	Friction Fit	Metal	54"	7
27CC						3
27CH						4
27CP	2	Chrome Steel	Friction Fit	ABS	54"	1
27CP5						2

29A

29AP

29A	2	Aluminum	Button Lock	Metal	56"	1
29A5						2
29AA						6
29AB	2	Aluminum	Button Lock	Metal	56"	7
29AC						3
29AH						4
29AP	2	Aluminum	Button Lock	ABS	56"	1
29AP5						2

Connection Type

*TYPE 1 — 1 9/16"

*TYPE 2 — 1½"

*TYPE 3 — Pull Pin

*TYPE 4 — Threaded Nylon

*TYPE 6 — Grooved Steel

*TYPE 7 — Grooved Steel

Replacement Parts (See page 14)

Notes

1½" Two-Piece Wands

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
21AAE	Grooved Coupling	21AA, 21CA, 22AA, 22CA, 27CA, 29AA, 49AA
21ABE		21AB, 21CB, 22AB, 22CB, 27CB, 29AB, 49AB
21ACE/PP	Metal Coupling	21AC, 21CC, 22AC, 27CC, 29AC
21ACEP/PP	ABS Coupling	321AC, 321CC, 387APC
21ACP	Pull Pin Assembly	21AC, 21CC, 22AC, 27CC, 29AC, 321AC, 321CC, 387APC
21AHE	Nylon Coupling, Threaded	21AH, 21CH, 22AH, 22CH, 27CH, 29AH, 49AH
21ANE	Metal Coupling, Threaded	21AN
21APWC	ABS Coupling	21AP, 21AP56, 21CP, 21P, 22AP, 22CP, 27CP, 28AP, 29AP, 49AP
21APWC5		21AP5, 21AP556, 21CP5, 21P5, 22AP5, 22CP5, 27CP5, 28AP5, 29AP5, 49AP5
21AWC	Metal Coupling	21A, 21C, 22A, 22C, 27C, 28A, 29A, 49A
21A5WC		21A5, 21C5, 22A5, 22C5, 27C5, 28A5, 29A5, 49A5, H21A5
21NA	Metal Nut	21A, 21C, 22A, 22C, 27C, 28A, 29A, 49A
21NA5		21A5, 21C5, 22A5, 22C5, 27C5, 28A5, 29A5, 49A5, H21A5
21NP	ABS Nut	21AP, 21AP56, 21CP, 21P, 22AP, 22CP, 27CP, 28AP, 29AP, 49AP
21NP5		21AP5, 21AP556, 21CP5, 21P5, 22AP5, 22CP5, 27CP5, 28AP5, 29AP5, 49AP5
21RPK	Ring (Pkg. of 10)	21A, 21AP, 21AP56, 21C, 21CP, 21P 22A, 22AP, 22C, 22CP, 27C, 27CP 28A, 28AP, 29A, 29AP, 49A, 49AP
21R5PK		21A5, 21AP5, 21AP556, 21C5, 21CP5, 21P5, 22A5, 22AP5, 22C5, 22CP5, 27C5, 27CP5, 28A5, 28AP5, 29A5, 29AP5, 49A5, 49AP5, H21A5

Notes



29A Two-Piece Wand—the 56 inch button-lock aluminum wand

32 mm (1¼") & 38 mm (1½") Friction Fit Carpet Tools

	PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
For wet/dry pick-up on low pile carpet	32521	Smooth Face Carpet Tool	Grey	14"	8
	38521				9
For dry pick-up on all carpet types Gives that just-cleaned look	32546	Scallop Face Carpet Tool	Grey	14"	8
	38546				9
				(LENGTH)	
For dry pick-up on all carpet types Gives that just-cleaned look	32548	Paddle Tool	Grey	14"	8
	38548				9
 For dry pick-up on low pile carpet	32549	Rug Rake Carpet Tool	Grey	14"	8
	38549				9
For dry pick-up on all carpet types	3260543	E-Z Glide Carpet Tool	Grey	14"	8
	3860543				9
	901G	Carpet Tool	Grey	9"	8
	913	Air Turbine with Wheels	Black	11"	
	913500				9
	915	Air Turbine with Carpet Pile Adjustment			8

901G–Carpet Tool

913–Air Turbine with Wheels

915–Air Turbine with Carpet Pile Adjustment

Connection Type

*TYPE 8 — 32mm (1¼")

*TYPE 9 — 38mm (1½")



Replacement Parts (See page 16)

32 mm (1¼") & 38 mm (1½") Friction Fit Carpet Tools

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
522B	Bumper	32521, 32546, 38521, 38546
546AB	Brush, Nylon	3260543, 3860543
546AD	Rug Shoe	
60543RE	Repair Kit–Brush Strip, Shoes (2), Screws (2)	
913BP	Base Plate	913, 913500
913BR	Roller Brush	
913BU	Bumper	
913C	Cover	
913CF	Cleaning Flap	
913L	Drive Belt	
913N	1½" Swivel Elbow	913500
913RBL	Tumbler Lever, Left	913, 913500
913RBR	Tumbler Lever, Right	
913SE	1¼" Swivel Elbow	913
913TC	Turbine	913, 913500
913TH	Turbine Housing	
913WF	Wheel, Front	
913WR	Wheel, Rear	
913SPK	Screws (4)	

Notes



32546 Scallop Face Carpet Tool—For dry pick-up on all carpet types and that *"just cleaned"* look

32 mm (1¼") & 38 mm (1½") Friction Fit Floor Brushes

	PART NUMBER	BRISTLE MATERIAL	COLOR	WIDTH	TYPE*
Nylon–For dry pick-up on all bare surfaces	32535	Nylon (Medium)	Grey	14"	8
	38535				9
Horsehair–For dry pick-up on all bare surfaces	32535H	Horsehair (Soft)	Grey	14"	8
	38535H				9
Tampico–For dry pick-up on all bare surfaces	32536	Tampico (Stiff)	Grey	14"	8
	38536				9
Horsehair–For dry pick-up on all bare surfaces (Slotted front bristles for improved airflow)	32535HSL	Slotted Horsehair (Soft)	Grey	14"	8
	38535HSL				9
Nylon–For dry pick-up on all bare surfaces (Slotted front bristles for improved airflow)	32535SL	Slotted Nylon (Medium)	Grey	14"	8
	38535SL				9
Nylon–For dry pick-up on all bare surfaces (Covers wider area)	3260835	Notched Nylon (Medium)	Grey	20"	8
	3860835				9
Horsehair–Narrow width for tight places	902BLK	Horsehair (Soft)	Black	10"	8
	902G		Grey		

Connection Type

*TYPE 8 — 32mm (1¼")

*TYPE 9 — 38mm (1½")



Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
535B	Brush, Nylon	32535, 38535
535BH	Brush, Horsehair	32535H, 38535H
535BHSL	Slotted Brush, Horsehair	32535HSL, 38535HSL
535BSL	Slotted Brush, Nylon	32535SL, 38535SL
535CS	Clip & Screw	32535, 38535, 32535H, 38535H 32535HSL, 38535HSL, 32535SL 38535SL, 32536, 38536
536B	Brush, Tampico	32536, 38536
60835BPK	Brush Set (2), Nylon	3260835, 3860835
902B	Brush, Horsehair	902BLK, 902G

32 mm (1¼") & 38 mm (1½") Friction Fit Squeegee Tools

	PART NUMBER	SQUEGEE MATERIAL	COLOR	WIDTH	TYPE*
Neoprene–For use on most bare surfaces	32545	Neoprene	Grey	14"	8
	38545				9
Buna-N–Excellent resistance to oils and grease	32545BN	Buna-N	Grey	14"	8
	38545BN				9
Natural Rubber–For wet pickup on most surfaces	32545NR	Natural Rubber	Grey	14"	8
	38545NR				9
Thermoplastic Elastomer–Good chemical resistance	32547	Thermoplastic Elastomer (TPE)	Grey	14"	8
	38547				9
 Neoprene–For use on most bare surfaces	3260845	Neoprene	Grey	20"	8
	3860845				9

Connection Type

*TYPE 8 — 32mm (1¼")

*TYPE 9 — 38mm (1½")



Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
534SPK	Screws (10)	32545BN, 38545BN, 32545NR, 38545NR
545A	Aluminum Strip	32545, 38545, 32545BN, 38545BN 32545NR, 38545NR
545BNSBPK	Blades, Buna-N (2 Narrow, 2 Wide)	32545BN, 38545BN
545NRSBPK	Blades, Natural Rubber (2 Narrow, 2 Wide)	32545NR, 38545NR
545SPK	Screws (10)	32545, 38545
545SBPK	Blades, Neoprene (2 Narrow, 2 Wide)	32545, 38545
547A	Aluminum Strip	32547, 38547
547SBPK	Blades, TPE (2 Serrated, 2 Flat)	
547SPK	Screws (12)	
608455SBPK	Blades, Neoprene (2)	3260845, 3860845

Notes

32 mm (1¼") & 38 mm (1½") Friction Fit Specialty Tools

For wet/dry pick-up on low pile



Felt Blade–For dry pick up on smooth surfaces

Scalloped Felt Blade– For dry pick up on smooth surfaces

For dry pick up on all carpet types

The perfect tool for low pile carpet and bare floors

PART NUMBER	DESCRIPTION	COLOR	WIDTH	TYPE*
32521	Smooth Face Carpet Tool	Grey	14"	8
38521				9
32532	Felt Blade Floor Tool	Grey	14"	8
38532				9
32532SCA	Scalloped Felt Blade Floor Tool	Grey	14"	8
38532SCA				9
			(LENGTH)	
32548	Paddle Tool	Grey	14"	8
38548				9
912BLK	Floor/Rug Combo Tool	Black	14"	8

Connection Type

*TYPE 8 — 32mm (1¼")

*TYPE 9 — 38mm (1½")



Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
532FPK	Blades, Felt (2)	32532, 38532
532FSCPK	Blades, Scalloped Felt (2)	32532SCA, 38532SCA
534SPK	Screws (10)	32532, 38532, 32532SCA, 38532SCA
545A	Aluminum Strip	
911LSKIT	Lint Strips (2)	912BLK

Notes

32 mm (1¼") & 38 mm (1½") Single Bend & Straight Friction Fit Wands



PART NUMBER	SIZE	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	PIECE (S)	TYPE*
125C22T	1¼"	Chrome Steel	Friction Fit	Friction Fit	56"	2	8
20C1**	1½"		—		54"	1	9

** 1½" Wand tapers to 1¼" Friction Fit Coupling



PART NUMBER	COLOR	SIZE	BODY MATERIAL	BODY STYLE	COUPLING	LENGTH	TYPE*
7021	—	1¼"	Chrome Steel	Straight	Friction Fit	20"	8
7022	Grey		Plastic				
7022BK	Black						
7023	Grey	1¼"	Plastic	Curved	Friction Fit	10"	
7023BK	Black						
7024	—	1¼"	Chrome Steel	Curved	Friction Fit	11"	
7025	—						
7028	—			Telescopic		23"–39"	



PART NUMBER	SIZE	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	PIECE (S)	TYPE*
20A138	1½"	Aluminum	—	Friction Fit	54"	1	9
20P138		ABS					
29A138		Aluminum	Button Lock			2	

Connection Type

***TYPE 8 — 32mm (1¼")**

***TYPE 9 — 38mm (1½")**

Notes

Overhead Tools

PART NUMBER	DESCRIPTION	BRISTLE MATERIAL	BODY MATERIAL	FITS PIPE (Diameter)	TYPE*
3015	Pipe Cleaning Tool	Nylon (Medium)	Aluminum	Over 6″	2
3025				4″–6″	
3035				1″–3″	

3015–To be used with a single bend extension

3025–To be used with a single bend extension

3035–To be used with a single bend extension

401UE-3B–To be used with a straight extension

403UE-3B–To be used with a straight extension

PART NUMBER	DESCRIPTION	BRISTLE MATERIAL	CONNECTION SIZE	FITS PIPE (Diameter)	TYPE*
401	ABS Pipe Cleaning Tool	Nylon	1¼″	4″–8″	9
401UE-3B			1½″		2
401UE4B-2					1
403	ABS Pipe Cleaning Tool	Nylon	1¼″	1″–4″	9
403UE-3B			1½″		2
403UE4B-2					1

313–To be used with a straight extension

8801PR–To be used with a straight extension

PART NUMBER	DESCRIPTION	BRISTLE MATERIAL	BODY MATERIAL	COLOR	WIDTH	TYPE*
313	Wall Brush	Horsehair (Soft)	Aluminum	—	9″	1
313N		Nylon (Medium)				
3135		Horsehair (Soft)				2
3135N	Wall Brush	Nylon (Medium)	Aluminum	—	9″	
3137		Horsehair (Soft)				3
3137N		Nylon (Medium)				
8801	Wall Brush		ABS	Grey	10″	8
8801MR						2
8801PR						1

Connection Type

***TYPE 1 — 1 9/16″**

***TYPE 2 — 1½″**

***TYPE 3 — Pull Pin**

***TYPE 8 — 32mm (1¼″)**

***TYPE 9 — 38mm (1½″)**



Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
301B	Brush, Nylon	3015
302B		3025
303B		3035
313B	Brush, Horsehair	313, 3135, 3137
313BN	Brush, Nylon	313N, 3135N, 3137N
8801B		8801, 8801MR, 8801PR

Overhead Extensions



23A–To be used with
a #20 or #25 straight extension



23AP–To be used with
a #20 or #25 straight extension

PART NUMBER	BENDS	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	TYPE*
23A	1	Aluminum	Friction Fit	Metal	23″	1
23A5						2
23AP	1	Aluminum	Friction Fit	ABS	23″	1
23AP5						2



24A–To be used with a #20 or #25 straight extension



25A–To be used with a #20 or #25 straight extension



25P–To be used with a #20 or #25 straight extension

24A	1	Aluminum	Friction Fit	Metal	54″	1
24A5						2
24AP	1	Aluminum	Friction Fit	ABS	54″	1
24AP5						2
25A	1	Aluminum	Friction Fit	Metal	60″	1
25A5						2
25AH						4
25AP	1	Aluminum	Friction Fit	ABS	60″	1
25AP5						2
25P	1	ABS	Friction Fit	ABS	60″	1
25P5						2



25AHIUP–Locks together with
20AHIUP, 25HIUPAWC, or 36AHIUP straight extensions



25PHIUP–Locks together with 20PUE4B straight extensions

25AHIUP	1	Aluminum	Metal Sleeve	Metal	60″	1
25AHIUP5						2
25APHIUP				ABS		1
25APHIUP5	1		Metal Sleeve		60″	2
25PHIUP		ABS				1
25PHIUP5						2

Connection Type

***TYPE 1 — 1 9/16″**

***TYPE 2 — 1 1/2″**

***TYPE 4 — Threaded Nylon**

Replacement Parts (See page 24)

Notes

Overhead Extensions

20–To be used for added height on standard extensions



20A–To be used with a #20 or #25 straight extension

20AP–To be used with a #20 or #25 straight extension

PART NUMBER	BENDS	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	TYPE*
20	Straight	Aluminum	Friction Fit	—	54″	—
20A				Metal		1
20A5						2
20AP	Straight	Aluminum	Friction Fit	ABS	54″	1
20AP5						2
20P	Straight	ABS	Friction Fit			1
20P5						2
25		Aluminum		—	60″	—
H20A5**				Metal	54″	2

** This wand has an expanded end to fit H015T

20AHIUP–Locks together with other straight extensions

20PUE4B–Locks together with other straight extensions

20AHIUP	Straight	Aluminum	Metal Sleeve	Metal	54″	1
20A5HIUP						2
20APHIUP				ABS		1
20APHIUP5					54″	2
20PUE4B	Straight	ABS	Metal Sleeve	ABS		1
20P5UE3B						2
25HIUP	Straight	Aluminum	Metal Sleeve	ABS	60″	1
25HIUP5						2
25HIUPAWC				Metal		1
25HIUPAWC5						2

36A–To be used with a #20 or #25 straight extension

36AHIUP–Locks together with
20A5HIUP, 25HIUPAWC5 or 36A5HIUP straight extensions

36P

36A	Straight	Aluminum	Friction Fit	Metal	36″	1
36A5						2
36A5HIUP			Metal Sleeve			
36AHIUP						1
36AP	Straight	Aluminum	Friction Fit	ABS	36″	
36AP5						2
36P		ABS				1
36P5						2

Connection Type

*TYPE 1 — 9/16″



*TYPE 2 — 1 1/2″

Replacement Parts (See page 24)

Notes

Overhead Extensions

Replacement Parts

PART NUMBER	DESCRIPTION	FITS WANDS
21AHE	Nylon Coupling, Threaded	25AH
21APWC	ABS Coupling	20AP, 20APHIUP, 20P, 20PUE4B 23AP5, 24AP5, 25AP5. 25APHIUP5, 25HIUP, 25P, 25PHIUP, 36AP, 36P
21APWC5		20AP5, 20APHIUP5, 20P5, 20P5UE3B, 23AP5, 24AP5, 25AP5, 25APHIUP5, 25HIUP5, 25P5, 25PHIUP5, 36AP5, 36P5
21AWC	Metal Coupling	20A, 20AHIUP, 23A, 24A, 25A 25AHIUP, 25HIUPAWC, 36A, 36AHIUP
21A5WC		20A5, 20A5HIUP, 23A5, 24A5, 25A5, 25AHIUP5, 25HIUPAWC5, 36A5, 36A5HIUP, H20A5
21NA	Metal Nut	20A, 20AHIUP, 23A, 24A, 25A 25AHIUP, 25HIUPAWC, 36A, 36AHIUP
21NA5		20A5, 20A5HIUP, 23A5, 24A5, 25A5, 25AHIUP5, 25HIUPAWC5, 36A5, 36A5HIUP, H20A5
21NP	ABS Nut	20AP, 20APHIUP, 20P, 20PUE4B, 23AP, 24AP, 25AP, 25APHIUP, 25HIUP, 25P, 25PHIUP, 36AP, 36P
21NP5		20AP5, 20APHIUP5, 20P5, 20P5UE3B, 23AP5, 24AP5, 25AP5, 25APHIUP5, 25HIUP5, 25P5, 25PHIUP5, 36AP5, 36P5
21RPK	Ring (10)	20A, 20AHIUP, 20AP, 20APHIUP, 20P, 20PUE4B, 23A, 23AP, 24A, 24AP, 25A, 25AHIUP, 25AP, 25APHIUP, 25HIUP, 25HIUPAWC, 25P, 25PHIUP, 36A, 36AHIUP, 36AP, 36P
21R5PK		20A5, 20A5HIUP, 20AP5, 20APHIUP5, 20P5, 20P5UE3B, 23A5, 23AP5, 24A5, 24AP5, 25A5, 25AHIUP5, 25AP5, 25APHIUP5, 25HIUP5, 25HIUPAWC5, 25P5, 25PHIUP5, 36A5, 36A5HIUP, 36AP5, 36P5, H20A5

Notes

2″ Floor Tools, Wands, Extensions and Attachments

PART NUMBER	DESCRIPTION	BODY MATERIAL	WIDTH	TYPE*
314	Gulper Tool	Aluminum	13″	7
700	Neoprene Squeegee & Nylon Brush Combination	Aluminum	20″	Friction Fit
94520	Natural Rubber Squeegee	Aluminum	22″	7

314 – Fits #31AB, 32CB Wands

700 – Fits #30 Wand



94520 – Fits #31AB, 32CB Wands

Wands



PART NUMBER	BENDS	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	TYPE*
30	1	Chrome Steel	One Piece	Friction Fit	45″	Friction Fit
31AB	2	Aluminum	One Piece	Metal	56″	7
31AH						4
31AWCI	2	Aluminum	One Piece	Metal	56″	1
31AWCI5						2
32CB	2	Chrome Steel	Button Lock	Metal	54″	7
32CH						4
32CWCI	2	Chrome Steel	Button Lock	Metal	54″	1
32CWCI5						2

Connection Type

***TYPE 1 — 1 9/16″**



***TYPE 2 — 1 1/2″**

***TYPE 4 — Threaded Metal**

***TYPE 7 — Grooved Steel**



Replacement Parts (See page 27)

Notes

2″ Floor Tools, Wands, Extensions and Attachments

PART NUMBER	DESCRIPTION	BODY MATERIAL	LENGTH	END STYLE
202	Bulk Pick-Up Nozzle	Aluminum	18″	Angle
208	Crevice Tool		15″	
209ST		Chrome Steel	24″	
40	Bulk Pick Up Nozzle	Aluminum	52″	Tapered

202 – Aluminum Bulk Pick-Up Nozzle

208 – Aluminum Crevice Tool

209ST – Chrome Steel Crevice Tool

Extensions



35A

35AB

PART NUMBER	BENDS	BODY MATERIAL	CONNECTION	COUPLING	LENGTH	TYPE*
35A	1	Aluminum	Friction Fit	Metal	54″	1
35A5						2
35AB	1	Aluminum	Friction Fit	Metal	54″	7
35AH						4
35AP	1	Aluminum	Friction Fit	ABS	54″	1
35AP5						2



40

40AWC

40B

40	—	Aluminum	Friction Fit	Friction Fit	54″	Friction Fit
40AWC	—	Aluminum	Friction Fit	Metal	54″	1
40AWC5						2
40B	—	Aluminum	Friction Fit	Metal	54″	7
40H						4

Connection Type

***TYPE 1 — 1 9/16″**

***TYPE 2 — 1 1/2″**

***TYPE 4 — Threaded Metal**

***TYPE 7 — Grooved Steel**

Replacement Parts (See page 27)

Notes

2" Floor Tools, Wands, Extensions and Attachments

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
21APWC	ABS Coupling	35AP
21APWC5		35AP5
21NP	ABS Nut	35AP
21NP5		35AP5
21AWC	Metal Coupling	31AWCI, 32CWCI, 35A, 40AWC
21A5WC		31AWCI5, 32CWCI5, 35A5, 40AWC5
21NA	Metal Nut	31AWCI, 32CWCI, 35A, 40AWC
21NA5		31AWCI5, 32CWCI5, 35A5, 40AWC5
21RPK	Ring (10)	31AWCI, 32CWCI, 35A, 35AP, 40AWC
21R5PK		31AWCI5, 32CWCI5, 35A5, 35AP5, 40AWC5
31ABE	Grooved Coupling, Steel	31AB, 32CB, 35AB, 40B
31AHE	Threaded Coupling, Aluminum	31AH, 32CH, 35AH, 40H
314BP	Base Plate	314
314SPK	Screws (5)	
314TSPK	Thumb Screws (2)	
6516MPK	Wheels, Brass (2)	700
6516PK	Wheels, Black Poly (2)	
700BR	Brushes, (1 Straight, 1 Notched)	
700SB	Blades, Neoprene (2)	
94520NSBPK	Blades, Neoprene (6)	94520
94520S	Spring	
94520SBPK	Blades, Natural Rubber (6)	

Compatibility Key

TYPE 1 — 1 9/16"	Advance (Nilffisk),** Centaur, Crusader, Husky, Mastercraft, Mercury, Michaels, Milwaukee, Minuteman,** Nortech, Pacific Steamex,** Power Flite, Prestige, Pro-Team, Tiger Vac, Vac-U-Max,** Wal-Vac, Windsor
TYPE 2 — 1 1/2"	Black & Decker, Castex, Dayton,** Doyle, General Floorcraft, Goodway, Hoffman, Hoover, Kent (Nilfisk),** Lamson (Gardner), Master Power, NSS, Nikro, Nobles, Pullman, Sears,** Shop Vac,** Star, Tennant
TYPE 3 — Pull Pin	Alto (Clark), Pacific Steamex**
TYPE 4 — Threaded Nylon	American Vacuum, Minuteman (Hako)**
TYPE 5 — Threaded Metal	NSS
TYPE 6 — Grooved Steel	Advance (Nilfisk), Vac-U-Max**
TYPE 7 — Grooved Steel	Tornado (Breuer)

** Indicates fit to more than one type

100EB

100EW

125E – Cut*

125EBK

150EFBK

200E – Cut*

200EBK

250E

300E

125ES

125ESBK

150ESF

150ESFBK

200ES

Standard

PART NUMBER	FITS HOSE ID	FITS CONN. OD	COLOR
100EB	1″	1″	Black
100EW			Grey
125E	1 1/4″	1 1/4″	Grey
125EBK			Black
125EH			White
150EF	1 1/2″	1 1/2″	Grey
150EFBK			Black
150EFH			White
200E	2″	2″	Grey
200EBK			Black
250E	2 1/2″	2 1/2″	Grey
300E	3″	3″	

* Cut examples show interior detail

Swivel

125ES	1 1/4″	1 1/4″	Grey
125ESBK			Black
150ESF	1 1/2″	1 1/2″	Grey
150ESFBK			Black
200ES	2″	2″	Grey

Notes

125C

150C

200C

10012E

10015EB

12515E

150ESU

15200EBK

10075E

15125EBK

20150E

125EBANDBK

150ECW

150EM
Fits–E, GT, M, MSW, & TC Series

150EO
Fits–TC Series

200ECW

20150ECW

200EM
Fits–E, GT, M, MSW, & TC Series

	PART NUMBER	FITS HOSE ID	FITS CONN. OD	COLOR
Standard	125C	1 1/4″	–	
	150C	1 1/2″	–	All Grey
	200C	2″	–	
Enlarger	10012E	1″	1 1/4″	Grey
	10015EB		1 1/2″	Black
	10015EBGREY			Grey
	12515E	1 1/4″	1 1/2″	
	150ESU	1 1/2″	1 3/4″	
	15200E		2″	
	15200EBK		2″	Black
Reducer	10075E	1″	3/4″	Grey
	15125E	1 1/2″	1 1/4″	
	15125EBK			Black
	20150E	2″	1 1/2″	Grey
Special	125EBANDBK	1 1/4″	1 1/4″	Black
	150ECW	1 1/2″	1 1/2″	Grey
	150ECWS			
	150EM			
	150EO	1 1/2″	1 1/2″	
	150EOBK			Black
	150ESBK			
	200ECW	2″	2″	Grey
	20150ECW	2″	1 1/2″	
	200EM	2″	2″	

075EW

100EW

125EW–Cut*

125EWBK

150EW–Cut*

150EWBK78

200EW

250EW

300EW

125ESWBK

150ESW

10015EW

12515EWBK

150ESUWBK

15200EW

10075EW

15125EW

20150EW

Standard

PART NUMBER	FITS HOSE ID	FITS CONN. OD	COLOR
075EW	3/4″	3/4″	Grey
100EW	1″	1″	
125EW	1 1/4″	1 1/4″	
125EWBK			Black
125EWH			White
150EW	1 1/2″	1 1/2″	Grey
150EWBK78			Black
150EWH			White
200EW	2″	2″	Grey
250EW	2 1/2″	2 1/2″	
300EW	3″	3″	

* Cut examples show interior detail

Swivel

125ESWBK	1 1/4″	1 1/4″	Black
150ESW	1 1/2″	1 1/2″	Grey

Enlarger

10015EW	1″	1 1/2″	Grey
12515EW	1 1/4″	1 1/2″	
12515EWBK			Black
150ESUWBK	1 1/2″	1 3/4″	
15200EW		2″	Grey

Reducer

10075EW	1″	3/4″	Grey
15125EW	1 1/2″	1 1/4″	
20150EW	2″	1 1/2″	

Hose Adapters

150AH

150AWC

150CMAWC

16C

200CM8AWC

HA5

HA9

HO15T

HO20T

ST10

Adapters

PART NUMBER	DESCRIPTION	FITS HOSE I.D.	LENGTH	TYPE
150AH	Aluminum Adapter	1 1/2″	8″	4
150AWC	Hose Adapter, Aluminum	1 1/2″	8″	1
150AWC5				2
150CMAWC	Hose Adapter, Chrome Steel	1 1/2″	5″	1
150CMAWC5				2
16C	Hose Adapter, Chrome Steel	1 1/2″ to 2″	13 1/2″	–
200CM8AWC	Hose Adapter, Chrome Steel	2″	8″	1
200CM8AWC5				2
HA5	Tool Adapter	1 1/2″	5″	2
HA9				1
HI20	Inlet Adapter	1 1/2″	6″	–
HO15T	Central Vacuum Inlet Adapter	1 1/2″	6″	
HO20T		2″	6″	
ST10	Male Hose Coupling	1 1/2″	6″	

Notes

AC16

H32T

125C

150C

150CM

150CMB

200C

200CM

200CM8

233

300CM

610

Connectors

PART NUMBER	DESCRIPTION	FITS HOSE I.D.	LENGTH	TYPE
AC16	Hose Connector, Enlarger	1 1/2″ to 2″	6 3/8″	1, 4
H32T	Hose Connector, Enlarger	2″ to 1 1/2″	4 5/8″	–
125C	Hose Connector	1 1/4″	3″	
150C		1 1/2″	3 5/8″	
150CM	Hose Connector, Chrome Steel	1 1/2″	5″	
150CM8	Hose Connector, Chrome Steel		8″	
150CMB	Hose Connector, Chrome Steel		5″	2
200C	Hose Connector	2″	4″	–
200CM	Hose Connector, Chrome Steel	2″	5″	
200CM8	Hose Connector, Chrome Steel		8″	
150CPB	Hose Connector, Plastic, Barbed	1 1/2″	3 5/8″	
200CPB		2″	3 5/8″	
233	Hose Connector, Plastic	–	2 1/2″	
300CM	Hose Connector, Steel	3″	7″	
610	Hose Connector, Plastic	1 1/2″	5″	

Notes

Vacuum Inlet Adapters & Wall Inlet Valves

150ESUT18

A11

AC16

AC17

AC18

AC22

H32T

M20

N21

N22

T18

Vacuum Inlet Adapters

PART NUMBER	MATERIAL	FITS HOSE I.D.	FITS CONN.	TYPE
150ESUT18	Steel, PVC	1 1/2″	2 1/8″	7
A11	Steel		2″	6
AC16	Steel, PVC	1 1/2″		1,4
AC17	Steel			
AC18	Polystyrene	1 1/2″	1.950″	
AC22	Steel, PVC		2″	4
H32T	Steel	1 1/2″		3
M20			1 9/16″	1
N21	Steel	1 3/4″	1 3/4″	5
N22			2″	
T18	Steel	1 1/2″	2 1/8″	7

150HIV (Open)

HO15T

200HIV (Closed)

HO20T

ST150IV (Open)

ST10

150PV

150Y

20150Y

200Y

Wall Inlets

PART NUMBER	THREAD SIZE	INLET SIZE	FOR USE WITH
150HIV	2″	1 1/2″	HO15T
200HIV		2″	HO20T
ST150IV		1 1/2″	ST10

Palm Valve

150PV	–	1 1/2″ Hose	1 1/2″ Wand

"Y" Adapters

150Y	–	1 1/2″	1 1/2″ Hose
20150Y		2″	
200Y			2″ Hose

Crevice Tools & Pick-Up Nozzles



	PART NUMBER	FITS CUFF SIZE	LENGTH	MATERIAL	NOTES
1 ¼″ Crevice Tools	906BK	1 ¼″	9″	HIPS*	Black
	906G				Grey
1 ½″ Crevice Tools	311	1 ½″	15″	Chrome Steel	Straight
	317				Angle
	327				
	611A1	1 ½″	11″	Aluminum	Tapered
	611F			HIPS*	Grey
	611FBK	1 ½″	11″		Black
	611S				Grey
	617F	1 ½″	17″		
	617FBK				Black
	624A1		24″	Aluminum	–
	628F	1 ½″	28″	HIPS*	Grey
	628FBK				Black
	727B		27″	Chrome Steel	Straight
2″ Crevice Tools	208	2″	15″	Aluminum	–
	209ST		24″	Chrome Steel	
1 ½″ Bulk Pick-Up Nozzles	204	1 ½″	18″	Aluminum	–
	205		23″	ABS	Grey
	206	1 ½″	36″		
	207		54″		
	806	1 ½″	6″	Neoprene (Rubber)	Black
	806C		9″	Neoprene, Plastic	
	806CM			Neoprene, Chrome	
	807	1 ½″	22″	Neoprene (Rubber)	
	807CM			Neoprene, Chrome	–
2″ Bulk Pick-Up Nozzles	202	2″	18″	Aluminum	Angle
	40		54″		Tapered

* High Impact Polystyrene

Dust Brushes

306 – Heavy Duty Aluminum

312 – Heavy Duty Aluminum

40504BK

503

5039 – Polystyrene Neck

503MR – Aluminum Neck

503PR – Polystyrene Neck

603

603MR – Aluminum Neck

603PR – Polystyrene Neck

803BLK

803BLKPR – Polystyrene Neck

907BLKPR – Polystyrene Neck

Dust Brushes

PART NUMBER	BODY MATERIAL	BRISTLE MATERIAL	SIZE	COLOR	TYPE*
306	Aluminum	Horsehair	3″	–	1,2
306N		Nylon			
312	Aluminum	Horsehair	5″		
312N		Nylon			
40504	Polypropylene	Horsehair	3″	Grey	
40504BK				Black	
503	Polypropylene	Polypropylene	3″	Grey	8
5039					
5039BK				Black	
503MR		Polypropylene		Grey	2
503PR					1
503BK	Polypropylene	Polypropylene	3″	Black	8
503BKMR					2
503BKPR					1
503H	Polypropylene	Horsehair	3″	Grey	8
503HMR					2
503HPR					1
603	Polypropylene	.010″ Nylon			8
603MR					2
603PR					1
803BLK	Polypropylene	.010″ Nylon	3″	Black	8
803BKLMR					2
803BLKPR					1
907BLK	PVC	Horsehair	3″		8
907BLKMR					2
907BLKPR					1
907G	PVC	Horsehair		Grey	8
907GMR					2
907GPR					1

Connection Type

***TYPE 1 — 1 9/16″**

***TYPE 2 — 1 1/2″**

***TYPE 8 — 32mm (1 1/4″)**

16C – 2″ Hose to certain 1 1/2″ tools,* Chrome Steel

502 – Type 1

502BLK – Type 1

609BK – 1 1/4″

703 – Type 2

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
16C	2″ x 13 1/2″ Extension	306, 309, 312
305B	Brush Insert, Horsehair	306
305BN	Brush Insert, Nylon	306N
305BU	Bumper	306, 306N
312B	Brush Insert, Horsehair	312
312BN	Brush Insert, Nylon	312N
312BU	Bumper	312, 312N
502	1 1/2″ to 1 1/4″ Reducer, Polystyrene, Grey	503PR, 503HPR, 603PR, 907GPR
502BLK	1 1/2″ to 1 1/4″ Reducer, Polystyrene, Black	503BKPR, 803BLKPR, 907BLKPR
503B	Brush Insert, Polypropylene	503, 5039, 5039BK, 503MR, 503PR, 503BK, 503BKMR, 503BKPR
503BH	Brush Insert, Horsehair	503H, 503HMR, 503HPR
603B	Brush Insert, Nylon	603, 603MR, 603PR, 803BLK 803BLKMR, 803BLKPR
609BK	1 1/4″ Connector, Polystyrene, Black	5039, 5039BK
703	1 1/2″ to 1 1/4″ Reducer Aluminum	503BKMR, 503HMR, 503MR, 603MR 803BLKMR, 907BLKMR, 907GMR
907B	Brush Insert, Horsehair	907BLK, 907BLKMR, 907BLKPR, 907G, 907GMR, 907GPR

* See Replacement Parts for more information.

Notes

Upholstery & Utility Tools

307

307B Slide-On Brush for 307

506

506B Slide-On Brush for 506

506BLK

506BBLK Slide-On Brush for 506BLK

909

9099

909MR

909PR

909B Slide-On Brush for 909 Series

924BK

924BBK Slide-On Brush for 924BK

2355BK

309

308BA Slide-On Brush for 309

319

321

Upholstery Tools

PART NUMBER	BODY MATERIAL	BRISTLE MATERIAL	SIZE	WIDTH	TYPE*
307	Aluminum	–	1 1/2″	6″	2
307B	Steel	Nylon	–	6″	–
506	Polypropylene, Grey	–	1 1/2″	5″	1
506B	Polystyrene, Grey	.008″ Polypropylene	–	5″	
506BLK	Polypropylene, Black	–	1 1/2″	5″	1
506BBLK	Polystyrene, Black	.008″ Polypropylene	–	5″	
909	Polypropylene, Grey	–	1 1/4″	5″	8
9099	Polypropylene, Grey	–	1 1/4″	5″	8
909MR	Polypropylene, Aluminum	–	1 1/2″	5″	2
909PR	Polypropylene, Polystyrene	–	1 1/2″	5″	1
909B	Polystyrene, Grey	.008″ Polypropylene	–	5″	
924BK	Polypropylene, Black	–	1 1/4″	5″	8
924BBK	Polypropylene, Black	.008″ Polypropylene	1 1/4″	5″	–

Utility Tools

2355BK	Polystyrene, Black	–	1 1/2″	5″	–
308BA	Aluminum	Horsehair		6″	–
309	Aluminum	–	1 1/2″	6″	1
319	Polyethylene, Orange	–	1 1/2″	4″	–
321	Polyethylene, Yellow	–	2″	4″	–

Connection Type

*TYPE 1 — 1 9/16″

*TYPE 2 — 1 1/2″

*TYPE 8 — 32mm (1 1/4″)



Replacement Parts (See page 71)

16C–2" Hose to certain 1 1/2" tools,* Chrome Steel

502 – Type 1

609BK – 1 1/4"

703 – Type 2

Replacement Parts

PART NUMBER	DESCRIPTION	FITS TOOLS
16C	2" x 13 1/2" Extension	306, 309, 312
307RB	Brush Insert, Nylon	307B
308B	Brush Insert, Horsehair	308BA
308BU	Bumper	308BA
502	1 1/2" to 1 1/4" Reducer, Polystyrene, Grey	909PR
609BK	1 1/4" Connector, Polystyrene, Black	9099
703	1 1/2" to 1 1/4" Reducer, Aluminum	909MR

* See Replacement Parts for more information.

The Broadest Selection of Vacuum Attachments in the Industry

United Electric has the largest selection of industrial and commercial cleaning tools in the world and providing customer specific kits is one of our specialities. In addition to the kits shown in the catalog we offer custom kitting at your request. Please contact a sales representative for more information.



Restaurant Cleaning

PART NUMBER	INCLUDES	DESCRIPTION	TYPE
RCAK2	22AP	Two Piece, Aluminum Wand with ABS Coupling	1
	503PR	3" Dust Brush with Poly Bristles	
	506	5" Upholstery Tool	
	535	14" Squeegee with Neoprene Blades	
	546	14" Scallop Face Carpet Tool	
	611F	11" Crevice Tool	
RCAK25	22AP5	Two Piece, Aluminum Wand with ABS Coupling	2
	503PR	3" Dust Brush with Poly Bristles	
	506	5" Upholstery Tool	
	5355	14" Squeegee with Neoprene Blades	
	5465	14" Scallop Face Carpet Tool	
	611F	11" Crevice Tool	



Turbo Brush Kit

PART NUMBER	INCLUDES	DESCRIPTION	TYPE
TBAK32	125C22T	Two Piece, Chrome Steel Wand	8
	913	11" Wheeled Air Turbine with Brush	
TBAK38	29A138	Two Piece, Aluminum Wand with Button Lock	9
	913500	11" Wheeled Air Turbine with Brush	

Garage Cleaning

PART NUMBER	INCLUDES	DESCRIPTION	TYPE
GCAK11	226	14" Wheeled Floor Brush	–
	228	19" One Piece Wand	
	229	14" Crevice Tool	
	230	4" Dust Brush	
	235	Gulper Tool	